



Deliverable No. 4.1

DiscardLess

Strategies for the gradual elimination of discards in European fisheries

Grant agreement No: **633680** Project co-funded by the European Commission within the Horizon 2020 Programme

Start date of project: **1**st **March 2015** Duration: **48 months**





Deliverable D4.1

Initial avoidance manuals by case study including tactical, strategic and gear based approaches agreed by scientists and fishers.

(Month 18)

Due date of deliverable:	01 September 2016
Actual submission date (draft):	08 November 2016

Actual submission date (Final): 20 April 2017

Dissemination Level: PU¹

Main Authors: Dave Reid (MI, Beneficiary 14)

WP Leader: Dave Reid (MI, Beneficiary 14)

¹ PU: Public, PP: Restricted to other programme participants (including the Commission Services), RE: Restricted to a group specified by the consortium (including the Commission Services), CO: Confidential, only for members of the consortium (including the Commission Services)





Revision Control

Role	Name	Organisation	Date
Main Author	Dave Reid	MI	28/02/17
Coordinator	Clara Ulrich	DTU Aqua	20/04/17

With report contributions from 13 co-authors from DiscardLess Project Participants.

Name	Contribution	to	Institution	DiscardLess
	section(s)			beneficiary nr
Julia Calderwood	National interviews		MI	14
Laurence Fauconnet	National interviews		IMAR-UAz	17
Telmo Morato	National interviews		IMAR-UAz	17
Pedro Afonso	National interviews		IMAR-UAz	17
Katia Frangoudes	National interviews		UBO	7
George	National interviews		NAYS	15
Triantaphyllidis				
Ioanna Argyrou	National interviews		NAYS	15
Kristian Schreiber	National interviews		DTU	1
Plet-Hansen				
Lars Mortensen	National interviews		DTU	1
Toni Quetglas	National interviews		IEO	3
Youen Vermard	National interviews		IFREMER	2
Fabien Pointin	National interviews		IFREMER	2
Sandrine Vaz	National interviews		IFREMER	2
Marianne Robert	National interviews		IFREMER	2
Mike Fitzpatrick	National interviews		MNRG	27





Executive Summary

WP4.1 – The Fishermen's Story

Fisheries stakeholders from Ireland, Denmark, Spain-the Balearics, France-Eastern Channel, Greece-North Aegean Sea, and Portugal-Azores were interviewed. They include whitefish and pelagic trawlers (both single and twin rig trawlers), prawn trawlers and seine netters. It also includes small scale fishers using gill and trammel nets and bottom deep-water longlines and handlines. The semi-structured interviews addressed a range of issues relating to the fishermen's responses to the Landing Obligation regulations. Solutions proposed by fishermen were separated into technical (gear changes), tactical (fishing behaviour changes) and management. The responses and synthesis by question theme are given below.

Causes and levels of discarding

A range of discard drivers were identified including:

- Quota restrictions and "choke species" were key drivers of discarding in most areas, except the Mediterranean, where there are no quotas.
- Small fish in the catch, generally <MCRS fish was a key driver in most fisheries.
- Discarding of damaged fish was also identified in some countries.
- Small-scale fisheries in France and the Azores identified that likely high survival may be a factor in discarding.

There were a wide range of fishery specific drivers including quota management, high grading, and keeping quota available. Some small scale fishers also indicated that fish that might/should be discarded were used for bait, or to make fish stalls more attractive.

Current methods used to avoid unwanted catch - Technical

A range of common approaches were identified that were used by fishers to avoid discards:

- Increases in mesh size in the cod end or across the net are utilised in all the areas. Analogously, Azores fishers also use large, more size-selective hooks, sometimes even larger than legally required, and this actually leads to using more expensive bait!. This is a key commonality, almost everywhere fishers are voluntarily using more selective gear than required by law!
- Square mesh panels.
- Changing gear/metier, i.e. switching from one gear to another that had a different selectivity.





More fishery specific approaches included:

- Multiple rigs (twin or quad) in Nephrops fisheries
- Special on-board handling systems for separating species and controlling discards, and for survival.
- Problems with space and crew to handle discards.

Current methods used to avoid unwanted catch - Tactical

Again a number of common approaches were identified:

- Change of fishing grounds in response to high levels of the choke species or small fish.
- Avoidance of spawning/nursery areas was used as a tactic to avoid <MCRS catches.
- Information sharing between fishermen on areas to be avoided due to choke or high levels of <MCRS fish.
- "Moving on" after high catches of choke or <MCRS fish. This is a key commonality that should merit further examination. Moving on is probably occurring in many fisheries, but possibly without much guidance of how far to move, etc. This is potentially an area where scientists could help analyse what move on rules might be effective.
- Change of target species.
- Fishers developing their own quota approaches. There seems to be an appetite among fishers to use quota management as a tool to mitigate the LO. Again, this is an area where scientists can help, and will be explored further in Task 4.4.

A number of potentially useful approaches used in only one fishery were also identified, including:

- Changing the depth for fishing to change species mix.
- Shorter hauls.
- Use of sonar to target hauls.

Interest expressed in additional methods to avoid unwanted catch - Technical

Fishers generally appeared unenthusiastic about more gear changes. But two were clear:

- Larger mesh size (or hooks in line fisheries) even if not legally mandated.
- The need for more flexible and faster approaches to testing out new discard reducing gears.
- Tamper proofing of fishing gear.





Interest expressed in additional methods to avoid unwanted catch - Tactical

There were few entirely new suggestions for tactical change from fishers. This may be because fishers are already exploring most of the tactical changes they can envisage. Many fishers interviewed had little or no knowledge of the LO and so also of tactical measures to mitigate it.

Interest expressed in additional methods to avoid unwanted catch - management

Two main features were apparent:

- Temporary area closures to protect juveniles, spawning areas or high aggregation areas. The emphasis was on TEMPORARY. These should be deployed tactically by managers and then removed when no longer needed.
- Quota management This was often mentioned, but without clarity on what exactly was needed or how to make it happen. This is another area where DiscardLess can help through Task 4.4-"The Managers Story", by proposing management approaches that could work.

<u>No support for the following proposed methods to avoid unwanted catch –</u> <u>Technical and Tactical</u>

- There was little enthusiasm for more gear based technical approaches.
- Also similar doubts about closures and particularly permanent closures.
- Information sharing was something mentioned by many fishers, but they were often unsure if they could trust other fishers. This is again an area where DiscardLess might be able to help. This could be by assisting in the setting up of small schemes with limited number of fishers, and aimed at information on a few key aspects, e.g. hots spots of <MCRS fish, or of choke species.

Other information

- Unsurprising, but notable was that the most obvious common theme was steadfast opposition to the LO, and that it would not deliver its objectives, particularly in actually reducing discards or ecosystem benefits.
- Also considerable antipathy towards scientific advice! Particularly that advice does not reflect the fishery as they see it, mainly due to the lag between assessment and quota setting.

There was a common feeling that the current management system, including the LO, lacked credibility, potential to deliver its stated objectives and management measures that are perceived as inappropriate, e.g. restrictive quotas and the landing obligation.





WP4.1 – The Fishermen's Story Deliverable D4.1

Contents

1	Intr	oduction	9
2	Cau	ses and levels of discarding1	0
	2.1	Responses1	0
	2.2	Commonalities	2
	2.3	Specifics	3
3	Cur	rent methods used to avoid unwanted catch – Technical1	4
	3.1	Responses1	4
	3.2	Commonalities1	5
	3.3	Specifics – that could be applied elsewhere	5
4	Cur	rent methods used to avoid unwanted catch – Tactical1	6
	4.1	Responses1	6
	4.2	Commonalities1	8
	4.3	Specifics – that could be applied elsewhere1	9
5	Inte	erest expressed in additional methods to avoid unwanted catch – Technical 2	0
	5.1	Responses	0
	5.2	Commonalities	1
	5.3	Specifics – that could be applied elsewhere	1
6	Inte	erest expressed in additional methods to avoid unwanted catch – Tactical2	2
	6.1	Responses	2
	6.2	Commonalities	3
7	Inte	erest expressed in additional methods to avoid unwanted catch – management 2	4
	7.1	Responses	4
	7.2	Commonalities	6

www.discardless.eu





8 No	support for the following proposed methods to avoid unwanted catch $\mbox{-}$
Technic	cal
0.1	20
8.1	Responses
8.2	Commonalities
9 No	support for the following proposed methods to avoid unwanted catch – Tactical
30	
9.1	Responses
10 0)ther
10.1	Responses
10.2	Commonalities
11 S	pecific Issues
11.1	Information sharing35
11.2	Trust





1 Introduction

To date skippers, owner/skippers and shore based managers have been interviewed representing a wide range of fisheries and countries (Ireland, Denmark, Spain-the Balearics, France-Eastern Channel, Greece-North Aegean Sea, and Portugal-Azores). They include whitefish and pelagic trawlers (both single and twin rig trawlers), prawn trawlers and seine netters. It also includes small scale fishers using gill and trammel nets and bottom deep-water longlines and handlines. The semi-structured interviews addressed a range of issues relating to the fishermen's responses to the Landing Obligation regulations. They were asked initially about what they saw as the causes of discarding and the levels of that. They were then asked about methods of mitigating the impacts of the Landing Obligation in their day to day operations. The interviews were carried out following a semi-structured design. The interviewer had a core list of issues that they wished to address. However, the interview was based on asking very broad questions, and allowing the interviewee to talk first about what they wanted to discuss, and following up to obtain the more specific responses sought in the outline (An example used in the Irish interviews is presented after the report). Solutions proposed by fishermen were separated into technical (gear changes) and tactical (fishing behaviour changes). They were also asked about management responses that might or might not help.

We have presented the summarised ideas identified by fishermen in a series of different categories in the following tables. We have also sought to identify both commonalities, where fishermen from two or more countries identified the same issues. We have also tried to identify where ideas from one country might be applied to fisheries in others. Conversely, we have also tried to show where the responses reflect the unique characteristics of fisheries management in that country. The most obvious of these would be the quota based management outside the Mediterranean.

9





2 Causes and levels of discarding

Ireland	Sector
Discarding is caused by quota restrictions.	All interviewees
In particular, many interviewees emphasised the	
interactions of the Landing Obligation with Relative	
Stability. Specifically where they had relatively small	
quotas for a species, despite relatively high abundance	
of those fish on the grounds. A key example was for cod	
and haddock in the Celtic Sea, with low quota, and	
whiting with a high quota. This caused real issues as	
these species were often caught together.	
Only undersized and damaged fish are discarded.	Single-rig whitefish
	trawler
Discard levels <5% are possible within the fishery.	Whitefish trawler & seiner
Discarding needs to be reduced but a certain level is	Whitefish trawler
inevitable.	
Discard ban should be about simultaneously forcing the	Whitefish trawler
landing of marketable fish and selectivity improvements.	
The mismanagement of quotas and how they are	Nephrops Trawler
allocated throughout the year (often with little/none left	
for certain species in the last few months of the year)	
makes it impossible to avoid discarding.	
Generally can manage to avoid exceeding quota apart	Whitefish trawler
from when encounter unexpected 'lightning strike' hauls	
with an unusually high amount of a quota species.	
There is less fishing and time at sea for small boats in	Whitefish trawler
winter as restricted by weather so easier to keep inside	
quota at this time of year.	
Denmark	Sector
Cod as a choke species. Mainly for <mcrs also<="" but="" fish,="" td=""><td>Bottom whitefish and</td></mcrs>	Bottom whitefish and
lack of quota.	Nephrops trawlers
Nephrops, plaice, saithe, haddock and dab as potential	
choke species with relatively high discard levels. Mainly	
due to quota restrictions, but also <mcrs td="" was<=""><td></td></mcrs>	
mentioned to some extend too.	
One fishermen also stated whiting and due to quota	
restrictions.	
Sole and dab as potential choke species mainly due to	Gillnetter - North Sea and
storage issues and low marketing price making it	Skagerrak
unprofitable to retain these catches.	
Spain-the Balearics	Sector
Main problem of small-sized fish is for hake (<i>Merluccius</i>	Bottom Trawlers
merluccius).	
Hake recruitment does not seem to have a clear	





seasonality and large quantities of recruits can be captured almost all year round at some specific continental shelf areas and depths. These areas were not exploited routinely; they were only used when the bad weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the MCRS, fishermen do nu use these areas and periods in order to avoid catching small-sized hake. Large catches of picarel (<i>Spicara smaris</i>) and horse mackerel (<i>Trachurus</i> spp.) which saturated the market and were sold at very low prices. Transparent goby (<i>Aphia minuta</i>) fishery: small amount of discards, basically recruits of other fish species (e.g. <i>Pagellus</i> spp.). Discards are believed to be released in good condition. Dolphinfish (<i>Coryphaena hippurus</i>) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season. Greece-North Aegean Sea Sector We discard only if our catches are mixed but this happen rarely. Only undersized fish and damaged fish is discarded. During some months we discard anchovy and sardines. Trawler and purse seines We bring all fish without commercial value to offer it to poor people and orphanage. During Otober and April our discards are higher. In April near the coast there an important number of undersized fish but we are not allowed to fish there. France-Eastern Channel Sector Protected species are being discarded (e.g. Undulate Ray <i>Regulations</i> related to catch composition (e.g. cod or sole management plans). Fishers usually keep quot ao species without commercial value to dright randers Sector Trawlers and netters Po's decision didn't allow them to bring ashore small All Trawlers and netters Don't bring abore species , even if they are of the legal size leading to high-grading. Don't bring abore species without good prices (plaice, all trawlers and netters	captured almost all year round at some specific continental shelf areas and depths. These areas were not exploited routinely; they were only used when the bad weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the	
captured almost all year round at some specific continental shelf areas and depths. These areas were not exploited routinely; they were only used when the bad weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the MCRS, fishermen do not use these areas and periods in order to avoid catching small-sized hake. Large catches of picarel (<i>Spicara smaris</i>) and horse mackerel (<i>Trachurus</i> spp.) which saturated the market and were sold at very low prices.Small scale Fishery - monospecific boat seineTransparent goby (<i>Aphia minuta</i>) fishery: small-sized of discards, basically recruits of other fish species (e.g. <i>Pagellus</i> spp.). Discards are believed to be released in good condition.Small scale Fishery - monospecific boat seineDolphinfish (<i>Coryphaena hippurus</i>) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen Puring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.TrawlersWe bring all fish without commercial value to offer it to por people and orphanage.TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersPrace-Eastern ChannelSect	captured almost all year round at some specific continental shelf areas and depths. These areas were not exploited routinely; they were only used when the bad weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the	
continental shelf areas and depths. These areas were not exploited routinely; they were only used when the bad weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the MCRS, fishermen do not use these areas and periods in order to avoid catching small-sized hake.Large catches of picarel (<i>Spicara smaris</i>) and horse mackerel (<i>Trachurus</i> spp.) which saturated the market and were sold at very low prices.Small scale Fishery - monospecific boat seine <i>Pagellus</i> spp.). Discards are believed to be released in good condition.Dolphinfish (<i>Coryphaena hippurus</i>) fishery: small-sized frecruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Agean SeaSectorWe don't discard fish because we feed birds.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersDuring Octoher and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (<i>Rig undulata</i>) an "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole anagement plans). Fishers usually keep quota of species without commercial value to adjust landings.All Trawlers (12m and up and pelagic)PO's de	continental shelf areas and depths. These areas were not exploited routinely; they were only used when the bad weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the	
exploited routinely; they were only used when the bad weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the MCRS, fishermen do not use these areas and periods in order to avoid catching small-sized hake.Large catches of picarel (<i>Spicara smaris</i>) and horse mackerel (<i>Trachurus</i> spp.) which saturated the market and were sold at very low prices.Small scale Fishery - monospecific boat seineTransparent goby (<i>Aphia minuta</i>) fishery: small amount of discards, basically recruits of other fish species (e.g. <i>Pagellus</i> spp.). Discards are believed to be released in good condition.Small scale Fishery - Trammel netsDolphinfish (<i>Coryphaena hippurus</i>) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.TrawlersWe don't discard fish is important.All TrawlersIn some areas undersized fish is important.All TrawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and netters <i>Raja undulataj</i> and "skate".SectorProtected species are being discarded (e.g. Undulate Ray <i>Raja</i>	exploited routinely; they were only used when the bad weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the	
weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the MCRS, fishermen do not use these areas and periods in order to avoid catching small-sized hake. Large catches of picarel (<i>Spicara smaris</i>) and horse mackerel (<i>Trachurus</i> spp.) which saturated the market and were sold at very low prices.Transparent goby (<i>Aphia minuta</i>) fishery: small amount of discards, basically recruits of other fish species (e.g. <i>Pagellus</i> spp.). Discards are believed to be released in good condition.Small scale Fishery - monospecific boat seine 	weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the	
weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the MCRS, fishermen do not use these areas and periods in order to avoid catching small-sized hake. Large catches of picarel (<i>Spicara smaris</i>) and horse mackerel (<i>Trachurus</i> spp.) which saturated the market and were sold at very low prices.Transparent goby (<i>Aphia minuta</i>) fishery: small amount of discards, basically recruits of other fish species (e.g. 	weather conditions prevented working at deeper depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the	
depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the MCRS, fishermen do not use these areas and periods in order to avoid catching small-sized hake.Large catches of picarel (<i>Spicara smaris</i>) and horse mackerel (<i>Trachurus</i> spp.) which saturated the market and were sold at very low prices.Transparent goby (<i>Aphia minuta</i>) fishery: small amount of discards, basically recruits of other fish species (e.g. <i>Pagellus</i> spp.). Discards are believed to be released in good condition.Dolphinfish (<i>Coryphaena hippurus</i>) fishery: small-sized 	depths. Other fishers report that these hake recruits were only taken during some specific periods (February- March, May-June). After the implementation of the	
were only taken during some specific periods (February- March, May-June). After the implementation of the MCRS, fishermen do not use these areas and periods in order to avoid catching small-sized hake.Large catches of picarel (Spicara smaris) and horse mackerel (Trachurus spp.) which saturated the market and were sold at very low prices.Transparent goby (Aphia minuta) fishery: small amount of discards, basically recruits of other fish species (e.g. 	were only taken during some specific periods (February- March, May-June). After the implementation of the	
March, May-June). After the implementation of the MCRS, fishermen do not use these areas and periods in order to avoid catching small-sized hake.Large catches of picarel (Spicara smaris) and horse mackerel (Trachurus spp.) which saturated the market 	March, May-June). After the implementation of the	
March, May-June). After the implementation of the MCRS, fishermen do not use these areas and periods in order to avoid catching small-sized hake.Large catches of picarel (Spicara smaris) and horse mackerel (Trachurus spp.) which saturated the market and were sold at very low prices.Transparent goby (Aphia minuta) fishery: small amount of discards, basically recruits of other fish species (e.g. Pagellus spp.). Discards are believed to be released in good condition.Small scale Fishery - monospecific boat seineDolphinfish (Coryphaena hippurus) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.TrawlersWe bring all fish without commercial value to offer it to poor people and orphanage.All trawlersDuring October and April our discards are higher.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrace-Eastern ChannelSectorRaju undulata) and "skate".SectorProtected species are being discarded (e.g. Undulate Ray (Raju undulata) and "skate".Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial value to adjust landings.All Trawlers (12m and up and pelagic)PO's decision didn't allow them	March, May-June). After the implementation of the	
MCRS, fishermen do not use these areas and periods in order to avoid catching small-sized hake.Large catches of picarel (Spicara smaris) and horse mackerel (Trachurus spp.) which saturated the market and were sold at very low prices.Transparent goby (Aphia minuta) fishery: small amount of discards, basically recruits of other fish species (e.g. Pagellus spp.). Discards are believed to be released in good condition.Small scale Fishery - monospecific boat seineDolphinfish (Coryphaena hippurus) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe bring all fish without commercial value to offer it to poor people and orphanage.All trawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn april near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrace-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial value to adjust landings.Trawlers (12m and up and pelagic)		
order to avoid catching small-sized hake.Image: catches of picarel (Spicara smaris) and horse mackerel (Trachurus spp.) which saturated the market and were sold at very low prices.Transparent goby (Aphia minuta) fishery: small amount of discards, basically recruits of other fish species (e.g. Pagellus spp.). Discards are believed to be released in good condition.Small scale Fishery - monospecific boat seineDolphinfish (Coryphaena hippurus) fishery: small-sized fish in great during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All trawlers intervieweesDuring some months we discard anchovy and sardines.Trawlers intervieweesDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All travlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.SectorFrace-Eastern ChannelSectorFrace-Eastern ChannelSectorRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small size leading to high-grading.All Trawlers (12m and up and pelagic)	MCR3, Insterment do not use these areas and periods in	
Large catches of picarel (Spicara smaris) and horse mackerel (Trachurus spp.) which saturated the market and were sold at very low prices.SmallScaleTransparent goby (Aphia minuta) fishery: small amount of discards, basically recruits of other fish species (e.g. Pagellus spp.). Discards are believed to be released in good condition.Small scale Fishery - monospecific boat seineDolphinfish (Coryphaena hippurus) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.TrawlersWe don't discard fish because we feed birds.All TrawlersIn some areas undersized fish is important.All trawlersIn some areas undersized fish is important.All trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersPo's decision didn't allow them to bring ashore small sizes of non-commercial value to adjust landings.All Trawlers (12m and up and pelagic)PO's decision		
mackerel (<i>Trachurus</i> spp.) which saturated the market and were sold at very low prices.SmallTransparent goby (<i>Aphia minuta</i>) fishery: small amount of discards, basically recruits of other fish species (e.g. <i>Pagellus</i> spp.). Discards are believed to be released in good condition.Small scale Fishery - monospecific boat seineDolphinfish (<i>Coryphaena hippurus</i>) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.TrawlersWe bring all fish without commercial value to offer it to poor people and orphanage.All trawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (<i>Raja undulata</i>) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore sm		
and were sold at very low prices.SmallscaleFisheryTransparent goby (Aphia minuta) fishery: small amount of discards, basically recruits of other fish species (e.g. Pagellus spp.). Discards are believed to be released in good condition.SmallscaleFisherymonospecific boat seineDolphinfish (Coryphaena hippurus) fishery: small-sized grow fast. Discards of small individuals in the first days of the fishing season.SmallscaleFishery-Greece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.Trawler and purse seinesWe don't discard fish because we feed birds.Trawler and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All trawlersDuring October and April our discards are higher.2 trawlersIn April near the coast there an important number of rance.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore smallAll Trawlers (12m and up and pelagic)	Large catches of picarel (<i>Spicara smaris</i>) and horse	
and were sold at very low prices.SmallscaleFisheryTransparent goby (Aphia minuta) fishery: small amount of discards, basically recruits of other fish species (e.g. Pagellus spp.). Discards are believed to be released in good condition.SmallscaleFisherymonospecific boat seineDolphinfish (Coryphaena hippurus) fishery: small-sized grow fast. Discards of small individuals in the first days of the fishing season.SmallscaleFishery-Greece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.Trawler and purse seinesWe don't discard fish because we feed birds.Trawler and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All trawlersDuring October and April our discards are higher.2 trawlersIn April near the coast there an important number of rance.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore smallAll Trawlers (12m and up and pelagic)	mackerel (<i>Trachurus</i> spp.) which saturated the market	
Transparent goby (Aphia minuta) fishery: small amount of discards, basically recruits of other fish species (e.g. Pagellus spp.). Discards are believed to be released in good condition.Small scale Fishery - monospecific boat seineDolphinfish (Coryphaena hippurus) fishery: small-sized grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.Trawler and purse seinesWe don't discard fish because we feed birds.Trawler and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All trawlersDuring October and April our discards are higher.2 trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.All Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small a laize leading to high-grading.All Trawlers (12m and up and pelagic)		
of discards, basically recruits of other fish species (e.g. Pagellus spp.). Discards are believed to be released in good condition.monospecific boat seineDolphinfish (Coryphaena hippurus) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded. During some months we discard anchovy and sardines.Hall trawlers intervieweesWe don't discard fish because we feed birds.TrawlersWe don't discard fish because we feed birds.TrawlersDuring October and April our discards are higher. In some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
Pagellus spp.). Discards are believed to be released in good condition.Small scaleDolphinfish (Coryphaena hippurus) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.TrawlersWe bring all fish without commercial value to offer it to poor people and orphanage.All trawlersDuring October and April our discards are higher.2 trawlersIn April near the coast there an important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		5
good condition.Small scale Fishery - Trammel netsDolphinfish (Coryphaena hippurus) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded. During some months we discard anchovy and sardines.All trawlers intervieweesWe don't discard fish because we feed birds.Trawler and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All trawlersDuring October and April our discards are higher.2 trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)	of discards, basically recruits of other fish species (e.g.	monospecific boat seine
good condition.Small scale Fishery - Trammel netsDolphinfish (Coryphaena hippurus) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded. During some months we discard anchovy and sardines.All trawlers intervieweesWe don't discard fish because we feed birds.Trawler and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All trawlersDuring October and April our discards are higher.2 trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)	<i>Pagellus</i> spp.). Discards are believed to be released in	
Dolphinfish (Coryphaena hippurus) fishery: small-sized recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Small scale Fishery - Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.TrawlersWe bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.SectorFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
recruits appear during late summer/early autumn and grow fast. Discards of small individuals in the first days of the fishing season.Trammel netsGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.Trawlers and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All trawlersDuring October and April our discards are higher.2 trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (<i>Raja undulata</i>) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.All Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)	0	Small goals Ficham
grow fast. Discards of small individuals in the first days of the fishing season.SectorGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.TrawlersWe bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (<i>Raja undulata</i>) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		5
of the fishing season.SectorGreece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.Trawlers and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (<i>Raja undulata</i>) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		Trammel nets
Greece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.TrawlersWe bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (<i>Raja undulata</i>) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.All Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)	grow fast. Discards of small individuals in the first days	
Greece-North Aegean SeaSectorWe discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.TrawlersWe bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (<i>Raja undulata</i>) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.All Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)	of the fishing season.	
We discard only if our catches are mixed but this happen rarely.All purse seinesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.Trawler and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (<i>Raja undulata</i>) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		Sector
rarely.All trawlers intervieweesOnly undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.Trawler and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
Only undersized fish and damaged fish is discarded.All trawlers intervieweesDuring some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.Trawler and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.Trawlers and nettersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small legal size leading to high-grading.All Trawlers (12m and up and pelagic)		rin purse series
During some months we discard anchovy and sardines.TrawlersWe don't discard fish because we feed birds.Trawler and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (<i>Raja undulata</i>) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
We don't discard fish because we feed birds.Trawler and purse seinesWe bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
We bring all fish without commercial value to offer it to poor people and orphanage.All TrawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
poor people and orphanage.Image: 2 trawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up		-
poor people and orphanage.2 trawlersDuring October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small legal size leading to high-grading.All Trawlers (12m and up and pelagic)	We bring all fish without commercial value to offer it to	All Trawlers
During October and April our discards are higher.2 trawlersIn some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers (12m and up and up and pelagic)PO's decision didn't allow them to bring ashore small legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
In some areas undersized fish is important.All trawlersIn April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small legal size leading to high-grading.All Trawlers (12m and up and pelagic)		2 trawlers
In April near the coast there an important number of undersized fish but we are not allowed to fish there.TrawlersFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
undersized fish but we are not allowed to fish there.SectorFrance-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
France-Eastern ChannelSectorProtected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		11 aWIEI 5
Protected species are being discarded (e.g. Undulate Ray (Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
(Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
(Raja undulata) and "skate".Trawlers and nettersRegulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)	Protected species are being discarded (e.g. Undulate Ray	Trawlers and netters
Regulations related to catch composition (e.g. cod or sole management plans). Fishers usually keep quota of species without commercial value to adjust landings.Trawlers and nettersPO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
management plans). Fishers usually keep quota of species without commercial value to adjust landings.All Trawlers (12m and up and pelagic)PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		Trawlers and netters
species without commercial value to adjust landings.PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		i avvier 5 and netter 5
PO's decision didn't allow them to bring ashore small sizes of non-commercial species, even if they are of the legal size leading to high-grading.All Trawlers (12m and up and pelagic)		
sizes of non-commercial species, even if they are of the and pelagic) legal size leading to high-grading.		
legal size leading to high-grading.	PO's decision didn't allow them to bring ashore small	All Trawlers (12m and up
legal size leading to high-grading.	sizes of non-commercial species, even if they are of the	and pelagic)
$DOTE DITE ATOLE ADECIES WITHOUT 2000 DITES IDIALE, AT LAWEIS ATUTELLES \Box$		all trawlers and netters
		מון נו מאיונו 5 מווע ווכנוכו 5
horse mackerel, dab, etc.)		Dettern True less
Undersized and damaged fish are also discarded. Bottom Trawlers	0	
Not enough quota (e.g. mackerel, skate) All trawlers		
Discard herring because no quota. "national quota is OK Pelagic trawler	Discard herring because no quota, "national quota is OK	Pelagic trawler





but it was given to the Franco-Dutch boats"	
We are not allowed to land whiting when we use mesh	Pelagic trawl
of 80mm.	
We discard species that have a high survival (e.g. plaice,	Bottom trawlers
dab)	
Portugal-Azores	Sector
The fishing gears are very selective, especially the	Bottom deep-water
handline, and discard amounts are generally very low.	longliners and handliners
Discarding mostly happens because of regulations: catch	Bottom deep-water
of undersized (<mcrs) being="" first<="" individuals="" td="" the=""><td>longliners and handliners</td></mcrs)>	longliners and handliners
reason, followed by quota.	
Given that the fishing gears are selective and the market	Bottom deep-water
is diversified, discarding rarely happens because of lack	longliners and handliners
of commercial value.	
Most fishers use part of the unwanted catch for bait or	Bottom deep-water
for the crew's own consumption.	longliners and handliners
The potential choke species are alfonsinos (<i>Beryx</i> spp.)	Bottom deep-water
and blackspot seabream (Pagellus bogaraveo).	longliners and handliners
Even if no decision has been taken by the EC yet	Bottom deep-water
regarding the implementation of the LO on TAC 0	longliners and handliners
species such as deep-water sharks, these are a common	
bycatch of the longliners that could become highly	
limiting choke species.	
Most fishers return all alive fish to the water.	Bottom deep-water
Survivability is assumed to be high for several species,	longliners and handliners
especially in the handline fishery.	

2.2 Commonalities

The main commonalities of what causes discarding across the different regions are in:

- Quota restrictions and "choke species" were identified as key drivers of discarding in Ireland, France, Denmark, the Azores and the Balearics. This is not necessarily surprising, but important that all identified this as a key issue. In the Balearics, where there are no official quotas, the main drivers appeared to be unwanted bycatch. In Greece-North Aegean Sea, there was also no mention of "choke" species.
- Small fish in the catch, generally <MCRS fish. This was a major issue in the Irish, Greek, Azores and the Balearics cases, but also mentioned as important in Denmark, though less critical than chokes.
- Discarding of damaged fish was identified in Ireland, France (mainly netters) and Greece-North Aegean Sea.
- Small scale fisheries in France and the Azores identified that likely high survival may be a factor in discarding





2.3 Specifics

- 1. Quota management was mentioned as an issue in Ireland where monthly quota allocation was identified as a driver. This management approach is unique to Ireland.
- 2. The main driver in the Balearics appears to be catches of small (<MCRS) fish, often but not always of a single species within either a targeted or mixed fishery.
- 3. In France one of the main causes of discarding mentioned by individual fishers is the high-grading practised by POs for all species but more particularly for less valuable species. Fishers call that "no price".
- 4. In France another cause mentioned is the EU regulation on catch composition (<u>Council Regulation (EC) No. 850/98</u>,etc). To fulfil the EU regulation on catch composition, they keep no valuable species quotas for trips catching cod. Leading to discards of "other species" to be able to land cod during some period of the year.
- 5. Small deep trawlers and netters practising direct sale of fish (Dieppe and Boulogne, Etaples) don't have the same attitude towards "species without commercial value" because they "need to garnish their stalls with variety of species". So they discard less "species without commercial value" than other boats marketing their catches through auction.
- 6. In the Azores, some unwanted catches are used for bait, or consumed by the crew. Use as bait will likely only occur for passive gear fisheries. Likely high survival was also suggested.





3 Current methods used to avoid unwanted catch – Technical

Ireland	Sector
Square mesh panel is effective, especially in avoiding	All
whiting, hake, megrim and monk and a lot of juveniles.	
Quad rig significantly reduces fish catch in prawn	Quad-rig prawn trawler
trawler in comparison to twin rig.	
100mm mesh size across all of net (not just cod end) to	Single-rig whitefish
avoid small unwanted catch.	trawler
Denmark	Sector
Have made changes to their fishing gear to increase	Bottom trawlers
selectivity e.g. square mesh panels, and cod end mesh.	
Spain-the Balearics	Sector
Transparent goby (Aphia minuta) fishery:	Bottom Trawlers
Once on board, the catch is placed in a tank to separate	
the transparent goby (it remains on the top) from the	
discards (on the bottom). After taking the transparent	
goby, discards are released in good condition.	
Cuttlefish (Sepia officinalis) fishery: in general,	Small scale Fishery –
fishermen use larger mesh sizes than those established	Trammel nets
by law to avoid unwanted catch.	
Striped red mullet (Mullus surmuletus) fishery: to avoid	Small scale Fishery –
taking a lot of debris and small-sized fish, fishermen	gillnets
increased the mesh size as in cuttlefish.	
Greece-North Aegean Sea	Sector
We just introduced bigger mesh to our trawlers.	All trawlers
With the new mesh (40 mm square) less discards are	Trawlers
taken.	
France-Eastern Channel	Sector
For French fishers trawl mesh is okay and "cannot make	
more effort ".	
Individual fishers consider that they cannot improve	
their selectivity, but see next row.	
Tested square mesh panel (80, 100 and 115mm) of	Artisanal trawlers via
different length (1 or 2m) and also a selective grid were	Selecfish project
tested.	
Portugal-Azores	Sector
The hook size is the most effective way to reduce the	Bottom deep-water
amount of small individuals in the catch. The legal hook	longliners and handliners
size $(n^{\circ}9)$ is already large, and some fishers even use	
larger hooks.	
Some fishers also use Spanish hooks (slightly curved J-	Bottom deep-water
hooks) to reduce unwanted catch, with unproved	longliners and handliners





efficacy.	
encacy.	
Several fishers have recently changed fishing gears from	Bottom deep-water
bottom longlining to handlining, which is a more	longliners and handliners
selective and cost-effective fishery.	

3.2 Commonalities

Gear based technical changes have been deployed in all the areas as a way of mitigating the impacts of the LO. As would be expected, these vary between the fisheries, but again there are some common approaches:

- Increases in mesh size in the cod end or across the net are utilised in all the areas. These entail using larger mesh sizes than required by law. Analogously, some Azores fishermen also use larger, more selective hooks than legally required. This is a key commonality, almost everywhere fishermen are voluntarily using more selective gear than required by law!
- Square mesh panels were identified in both the Irish and Danish examples as useful tools for eliminating unwanted catches, presumably particularly for undersized target species.
- Changing gear/metier was mentioned for Irish Nephrops trawlers using quad instead of twin rigs. Azores fishermen mentioned switching from long line to hand line, and switching to a different hook design/shape.

3.3 Specifics – that could be applied elsewhere

- The use of quad rig Nephrops trawls was mentioned in the Irish case. This type of gear is not generally allowed outside Ireland.
- The Balearics case identified on-board handling systems as important for separating species and controlling discards, and particularly for the survival of the fish ultimately discarded.
- Greek fishers think that they have little discards and on board handling will not be increased if they have to keep discards. The number of crew on Greek boats is important so working time will not increase. Deep trawlers have enough space to store discards if necessary.
- French fishers consider that sorting out discards by species will require more people on board and they cannot afford this extra cost. Larger trawlers may have enough space to store discards. This is not possible for small coastal deep trawlers (12 14 meters) because some of them don't have storage room and fish has to be kept on the deck. Current regulation do not allow fishers to keep human consumption fish and discards in the same place.





4 Current methods used to avoid unwanted catch – Tactical

Ireland	Sector
Knowledge of location of spawning grounds allows for	All except prawn trawlers
the avoidance of <mcrs at="" certain="" fish="" in<="" of="" td="" times="" year=""><td></td></mcrs>	
some locations.	
Vessels are constantly moving between fishing grounds	Whitefish trawlers
to try and avoid cod and haddock (choke species) as	whitehsh trawlers
much as possible. This can include moving between	
management units.	
Information is shared between vessels if the other	Whitefish trawlers
skippers are known/trusted and this can help to avoid	wintensii trawiers
unwanted catch.	
"Moving on", i.e. moving away from a location where	All
	All
high catch rates of <mcrs choke="" fish,="" or="" possibly="" species<="" td=""><td></td></mcrs>	
was mentioned outside the interviews.	
Denmark	Sector
Avoidance of fishing grounds where a potential choke	Bottom whitefish and
species is believed to be abundant. This has been	Nephrops trawlers
expressed particularly to reduce catches of saithe.	
Change of target species. One interviewed fisherman	Bottom whitefish trawlers
leased plaice quota and targeted plaice for 4 months to	
maintain an income and avoiding choking on saithe and	
cod quota.	
Lease of quota via the Danish ITQ system (turning	Bottom whitefish and
definitely unwanted catches into wanted/acceptable	Nephrops trawlers
catches.	
Changes fishing grounds slightly more with CQM verified	3 trawlers with REM
by REM than prior to having REM.	
Spain-the Balearics	Sector
After the implementation of the MLS, fishermen avoid	Bottom Trawlers
areas and periods where they know juvenile hake occur	
in order to avoid catching small-sized hake.	
For the picarel (Spicara smaris) fishery, fishermen	Bottom Trawlers
agreed to implement quotas per vessel and day (200 kg).	
Currently fishermen avoid taking catches over this quota	
to reduce the discards of picarel.	
For horse mackerel (<i>Trachurus</i> spp.) the problem is	Bottom Trawlers
taking more catch than the market can cope with. When	
fishermen see a lot of horse mackerel, they react by	
using shorter hauls to avoid large catches.	
In some areas and at specific depths (220-270 m),	Bottom Trawlers
bottom trawlers take boarfish (<i>Capros aper</i>) in large	
amounts and this damages the commercial catch.	
Fishermen do not use these areas to avoid this problem.	
risher men uo not use mese areas to avoiu uns problem.	





Transparent goby (<i>Aphia minuta</i>) fishery: In some cases, if the fishfinder indicates a high proportion of unwanted fish, fishermen do not fish to avoid catching discards.	Small scale Fishery - monospecific boat seine
Spiny lobster (<i>Palinurus elephas</i>) fishery: Some rocky areas in the Menorca Channel are known to concentrate juveniles of spiny lobster during the fishing season. These areas are avoided by some fishermen in order to reduce the catches of small-sized specimens.	Small scale Fishery – Trammel nets
Dolphinfish (<i>Coryphaena hippurus</i>) fishery: As with the picarel in the bottom trawl fishery, small- scale fishers also use a system of quotas per day and vessel (200 kg) for dolphinfish in Mallorca to avoid market saturation.	Small scale Fishery – Trammel nets
Greece-North Aegean Sea	Sector
Knowledge of location of spawning grounds allows for the avoidance of undersize fish at certain times of year in some locations.	All trawlers
Vessels are constantly moving between fishing grounds to try and avoid small hake.	Trawlers
Information about areas to be avoided is shared between family members and friends.	Trawlers
France-Eastern Channel	
Fishers moved to another fishing ground when <u>unwanted</u> species are present (unwanted means species without quotas or without commercial value).	All Trawlers
Keep our quota of whiting to be used when we are targeting cod (regulation about the composition of captures).	Trawlers
Use their knowledge about seasonality of the species, "when herring is here, horse mackerel is not here".	
Fisheries activity based on the seasonality of the species "we caught less small sole between March and May. It is just after the end of scallop season. "We know that the period before Christmas whiting has the best size".	
Portugal-Azores	Sector
Some fishers avoid specific areas because they know there are high concentrations of small fishes. However, most fishers argue that it is very difficult to identify such areas, as in most areas the small and large fishes are mixed.	Bottom deep-water longliners and handliners
Whenever they catch small individuals, the large majority of fishers change fishing grounds. This change can occur within the same day for the handliners because the fishing gear is more flexible, while it is undertaken within the following days by the longliners.	Bottom deep-water longliners and handliners
Fishers adapt their fishing depth according to what they are targeting. When fishing deeper, they would usually catch less but larger individuals of blackspot seabreams.	Bottom deep-water longliners and handliners





When fishing deeper, they would also catch more alfonsinos and deep-water sharks.	
Most fishers avoid fishing at night because there is more predation on the catch.	Bottom deep-water longliners and handliners
In all islands, except São Miguel, fishers have an individual quota for blackspot seabream. It is common there that fishers change target species for some months in order to keep their quota for the end of the year when the price is higher.	

4.2 Commonalities

There are less common approaches taken across the areas in the cases of tactical measures. Nevertheless, some commonalities were identified:

- In all the areas, the fishermen changed the fishing grounds in response to high levels of the choke species or small fish. French fishermen highlighted area changes based on seasonal differences in what species could be found and where.
- Avoidance of spawning/nursery areas was used as a tactic to avoid <MCRS catches in Ireland, the Balearics and the North Aegean Sea. It was not mentioned as an approach in Denmark, nor in the Azores, as such areas are not identified/known.
- Information sharing between fishermen on areas to be avoided due to choke or high levels of <MCRS fish was identified in both Ireland and the North Aegean Sea.
- "Moving on" was mentioned by both Irish and Azores fishermen. We think it is likely that this is often used by other fishermen, but maybe considered too obvious or routine to mention. It can be inferred from French and Greek fishermen's comments that they also do this. The approach is implicit in elements of the Scottish Cod Conservation credit scheme, and has been developed by Dunn et al (2014). This is a key commonality that should merit further examination. Moving on is probably occurring in many fisheries, but possibly without much guidance of how far to move etc. This is potentially an area where scientists could help analyse what move on rules might be effective.
- Change of target species was mentioned by both Danish and Azores fishermen, and may also be a tactic that is operating elsewhere but was too obvious to mention.
- Fishermen developing their own quota approaches was suggested by Danish fishermen, and also occurs in the purse seine fishery in the Azores, where a daily limit was implemented to restrict the fishery to only meet the local market demand. It should be noted that this was not a fishery included in the survey, but was information from a representative of fisher's organization. This would potentially be transferrable to the Greek fishermen but not under current systems. It would probably not be applicable for the Danish and Irish fishermen.





4.3 Specifics – that could be applied elsewhere

A number of tactics were identified in only one case study:

- 1. Changing of target species and Quota Leasing were identified in Denmark. Quota leasing is an approach that is not available to fishermen in many of the other case studies. Quota leasing is allowed in the Azores, but rarely occurs. While no quotas are currently mandated in the Mediterranean this approach is probably not transferable. Quota management in Ireland does not allow leasing, but potentially some approach that allows some flexibility in quota allocations may be of help.
- 2. Balearic fishermen identified two approaches that none of the others did:
 - a. Shorter hauls this is probably a tactic that all could use. However, in the case mentioned, it was focused on reducing the size of the catch to avoid too many fish on the market, rather than specifically for discarding, but it should be a potentially valuable tool. It may well already be used in the other fisheries, but merits further investigation.
 - b. Use of the fish finder sonar. Again, this may well be already used, and was simply not mentioned, but should definitely be raised in any follow up interviews.
- 3. French fishermen also identified holding on to quota to give them options in other seasonal fisheries.
- 4. Azores fishermen mentioned changing the depth of fishing in response to the size of fish in the catch. In the "challenge" trials with Irish fishermen, changing depth was also mentioned as a way of avoiding choke. Like "move on" rules, this may also merit scientific investigation elsewhere.

Dunn et al (2014). Empirical move-on rules to inform fishing strategies: a New England case study. Fish and Fisheries, 15(3): 359–375.





5 Interest expressed in additional methods to avoid unwanted catch - Technical

Ireland	Sector				
Larger meshes are a key to reducing unwanted catch and	Whitefish trawler and				
the minimum mesh size should be raised to at least	seiner (not prawn fishery)				
100mm across the fleet.					
Use of larger meshes (120mm) should be rewarded with	Whitefish trawler and				
extra quota.	seiner				
Need tamper-proof gear technology and this (along with	Whitefish trawler and				
mesh size) needs to be properly inspected and policed.	seiner				
Need a fast track system so that changes to fishing gear	Whitefish trawler				
that can reduce discards can be introduced easily and					
quickly.					
Denmark	Sector				
Free gear selection, but only minor interest has been	Bottom whitefish and				
expressed by interviewed fishermen	Nephrops trawlers				
	2				
Spain-the Balearics	Sector				
Spiny lobster (<i>Palinurus elephas</i>) fishery:	Small scale Fishery –				
Some fishermen, in collaboration with scientists, have	Trammel nets				
looked at V-notching for this species. Although V-					
notching has been primarily aimed at boosting egg					
production by protecting gravid females, V-notching of					
undersized individuals could be used to monitor the					
fulfilment of the MLS regulation. Greece-North Aegean Sea	Sector				
Ready to test bigger mesh if a second boat is fishing near					
to them to evaluate the loss.	2 Trawlers				
France-Eastern Channel	Sector				
Fishers organisations are conducting programs to	Bottom trawlers				
improve selectivity.	Dottom trawiers				
Agree to test more selective gears if compensate.	Netters (Boulogne)				
Portugal-Azores	Sector				
Few fishers would agree to increase the hook size even	Bottom deep-water				
more, but they do not believe it would make a significant	longliners and handliners				
difference.					
Most hand liners promoted the use of this type of fishing	Bottom deep-water				
gear, and believed the long liners should convert to handliners					
hand-lining.					
	1				





5.2 Commonalities

In the context of additional technical approaches, there was a relatively low enthusiasm for more gear changes. Two elements were identified in two case studies:

- Larger mesh size (which was already identified as a tool they were using) was identified by Irish and Greek fishermen, and is clearly an approach that could be used across all fisheries. It should be recognized that this may reduce the landable catch as well, but this identifies a clear role for gear technologists and the work in WP3. The analogous use of larger hooks in the Azores follows the same logic.
- Both Irish and Danish fishermen identified more flexible and faster approaches to testing out new discard reducing gears. While this is really a management issue, as it could require a relaxation of the gear regulations, it is clearly an important issue, and some means of allowing quick and easy derogations for fishermen to test a gear would be useful. This would be prior to approaching gear technologists to carry out specific selectivity trials.

5.3 Specifics – that could be applied elsewhere

On the basis of the interviews to date, no other major proposals were identified around gear based measures. Tamper proofing of fishing gear was identified by an Irish fisherman. The use of V-notching was identified in the Balearic case, however, this is widely used elsewhere already.

Azores hand liners suggested that their approach/fishing method was more selective than long lining and should be adopted more widely in the Azores





6 Interest expressed in additional methods to avoid unwanted catch - Tactical

Ireland	Sector		
Information sharing on where there are lots of	Whitefish/prawn trawler		
unwanted catch could be useful (but reluctant to share			
information on commercially important catches).			
Respondant would use information/maps on when and	Whitefish/prawn trawler		
where spawning is taking place every year. They feel			
that although they have good knowledge on spawning			
areas, this is can vary in timings between years.			
Denmark	Sector		
"Better" biological advice and "better" adaption of	Bottom whitefish and		
regulations to the actual situation meeting the fishermen	Nephrops trawlers		
in their daily work. One interviewed fisherman			
operating mainly in Kattegat and targeting Nephrops			
stated that: "I would prefer that we are 5 happy			
fishermen in Kattegat rather than 35 unsatisfied			
fishermen because of bad regulations and how things			
are". This statement was backed by another fisherman			
targeting Nephrops in Kattegat. Spain-the Balearics	Sector		
Implementation of quota for horse mackerel species as	Bottom Trawlers		
with Picarel quota currently used voluntarily by	bottom mawiers		
fishermen.			
Greece-North Aegean Sea	Sector		
The new mesh used by trawlers (40 mm square)	Trawl fisher		
permits to save petrol and reduce their consumption	i i uwi iishci		
France-Eastern Channel	Sector		
They know the areas producing more discards. They are	Trawlers and netters		
able to explain the reasons of high discards in these			
areas (estuary, near the coast,)			
Portugal-Azores	Sector		
Most fishers agree with the biological closure that has	Bottom deep-water		
been implemented since 2015 for the blackspot	longliners and handliners		
seabream, but many argue that the closure is not at the			
appropriate time and should be changed to when the			
fish actually spawn. Some further argue that the closure			
could be expanded to all species, as otherwise they keep			
fishing and catch blackspot seabream anyway, but for			
such a closure they would need financial compensation.			





6.2 Commonalities

No clear commonalities could be clearly identified under this heading. This may be because fishermen envisaged utilising the types of tactical response that they already deploy to help them **address** the impacts of the LO. It may also be because this was not an aspect emphasised in the interviews. However, it should be noted that even in the Irish interviews, where tactical approaches were emphasised, the responses were not particularly radical. The main aspect was the raising of information sharing with each other, and recognition that the information developed in Task 4.3 "the Scientists story" <u>MIGHT</u> be of help.

Under the "Management" section of this report, many fishers expressed interest in some form or other of spatial management, for instance, spawning closures or temporary bycatch hotspots of fish they wish to avoid e.g. <MCRS or choke species. This could also be considered as a tactical proposal from fishers, but is dealt with in the following section on management measures.

The main problem for many fishers on individual level is that they never heard about the LO (the North Aegean Sea, France and Azores). When asked about their opinion towards the LO it first has to be explained. For instance, in France interviewers had to use the term "zero discards" to be understandable by fishers. They are also unaware of exemptions.

It would be useful if Discardless produced a good flyer explaining the LO regulation and all related issues. For example "choke species" which is another term that fishermen often do not understand. Other terms include Real Time Closure, exemptions, derogations etc. It is possible that a simple guide on the regulation could also be very positive for the LO implementation.

Little interest in maps of unwanted catch was expressed by most fishers in the Azores as they argue that they already know, and that the fish are mixed in all areas anyway making it impossible to identify hotspots of discards. Some feared that it would result in closing areas and thus limiting fishing grounds.





7 Interest expressed in additional methods to avoid unwanted catch – management

Ireland	Sector				
Anything would be better than the current quota system.	. Prawn/whitefish trawler				
Spreading quotas over a longer time period (bi-monthly	Whitefish and prawn				
or quarterly) would provide useful flexibility and allow	trawlers				
for better planning.					
Local management that was given control to respond to	Seiner				
what is on the ground would be useful.					
Pooled quota may help a little.	Seiner				
Days at sea would be better as much harder to cheat the	Whitefish trawler				
system and lie about amount caught.					
Need an effort based management system, or equally a	Whitefish trawlers and				
management approach that does not depend on very	seiners				
tight quota restrictions.					
Rolling area closures to protect spawning and nursery	Whitefish Trawlers				
habitats for skates and rays in the Irish and Celtic Seas.					
Need reallocation of unused quota across Europe to	Whitefish trawlers and				
address issues with choking under LO (doesn't have to	seiners				
be on a permanent basis, just when one nation has					
excess that another country is in need of at that time).					
Denmark	Sector				
Interest was expressed in the use of Real Time Closure	Bottom whitefish and				
(RTC) zones, resembling the Norwegian system, by two	Nephrops trawlers				
fishermen. Their main interest was that the Norwegian					
RTC system should be used instead of introducing the					
Landing Obligation – that is, discarding should still be					
allowed!					
"Better" biological advice and "better" adaption of	Bottom whitefish and				
regulations to the actual situation meeting the fishermen	Nephrops trawlers				
in their daily work. One interviewed fisherman					
operating mainly in Kattegat and targeting Nephrops					
stated that: "I would prefer that we are 5 happy					
fishermen in Kattegat rather than 35 unsatisfied					
fishermen because of bad regulations and how things					
are". This statement was backed by another fisherman					
targeting Nephrops in Kattegat.					
Change the TAC system to a system that gives extra	Fisheries Inspectors				
quota benefits to vessels operating with the most					
selective gears.					
If the fishers see increases in quotas as a result of the	Fisheries Inspectors				
landing obligation this may induce compliance.					
Spain-the Balearics	Sector				





Implementation of quota for horse mackerel species as with picarel quota currently used voluntarily by fishermen.	Bottom Trawlers				
Greece-North Aegean Sea	Sector				
Ask for real time closures to avoid undersized hake.	Trawlers and purse seiners				
Look for a legal frame to allow real time closures.	Trawlers				
Afraid that if the real time closures are not valid legally and monitor "some fishers will continue fishing these areas".	Trawler				
Real-time closures can work if the ministry is able to act fast.	Trawlers				
Fishers consider that they have enough knowledge to avoid areas producing high discards during some seasons. Their knowledge, often not share with others fishers, is considered better than those of scientists.	Trawlers				
France-Eastern Channel	Sector				
Fisheries activity should follow the seasonality of the species.	Bottom trawlers				
Biological rest (closure) was also mentioned by Dieppe fishers but only if they get a compensation	Bottom Trawlers				
Portugal-Azores	Sector				
Fishers in São Miguel, the only island where the quota for blackspot seabream is collective, would like to change for ITQ. In the other islands, fishers mostly agree with the current quota system even if the sharing is considered by most as unfair.	Bottom deep-water longliners and handliners				
A multi-species (for blackspot seabream and splendid alfonsino) and multi-annual (2-3 years) quota that would allow them to deal with the stock natural variability could help [supported by 1 fisher].	Bottom deep-water longliners and handliners				
Some fishers are in favour of controlling the number of vessels. They argue that the deep-water fisheries are already at their maximum, and that the number of fishing vessels should be distributed according to the resource capacities, eventually by developing new fisheries.	longliners and handliners				





7.2 Commonalities

There were again fewer commonalities in the area of suggested management changes.

• Temporary area closure

The most obvious commonality was in temporary area closures.

Danish and Greek fishermen both specifically proposed the use of Real Time Closures (RTC) to protect particular species.

Irish fishermen have proposed closures before, e.g. Celtic Sea cod box, and would probably support others as long as they were fully involved. Some also supported the use of rolling closures in the Irish Sea for the protection of skates and rays. They are suspicious of outcomes (see following section), but definitely support closures that are not permanent.

In the Eastern Channel, French fishermen were in favour of biologically based closures, provided compensation was available.

In the Azores however, there is little support for RTC as most fishers argue that it would result in closing all fishing grounds. However most fishermen that were interviewed support the biological seasonal closure of blackspot seabream that has been implemented in the Azores since 2015. In the Balearics, spatio-temporal closures, together with selectivity improvements, are thought to be the main management tools to avoid discards.

• Quota management

Use of the quota system was mentioned by respondents in a number of the fisheries examined. However, there was no consensus on HOW changes in quota management would help, with different suggestions from each fishery. A broad conclusion might be that fishermen definitely see quota management as a potential mitigation measure, but are not entirely sure how this might work.

ITQs were also mentioned by French and Azorean fishermen.

Irish fishermen suggested that the monthly quotas could be extended to 2 or 3 months to allow less pressure from choke species. They also proposed quota being pooled across a number of vessels. Although very difficult to see how it would work, they also suggested that unused national quotas should be redistributed to countries with issues.

French fishers find that quotas of some species (mackerel, herring) were "given" to foreigner owners (French/Dutch owner) and this is considered as unfair as French owners practised discards. Very few complain about the amount of French quota except for some species that France has low quota for like "skate". But some fishermen, especially in Boulogne, think that an individual quota system could be better than collective amount of quota share by POs on the historical records of each boat. IVQ could





be exchanged directly between owners without going through PO system. Nowadays, quotas exchange are managed by POs and with the agreement of national authorities.

There was a strong impression from Irish fishermen that they were really fed up with the current quota management system in Ireland as well as the LO. They seemed attracted to an effort based management system. It is interesting to note that in the Mediterranean, in contrast, fishermen are actually using a sort of quota based approaches where none existed before.

The most obvious consensus from the interviews might be that certainly in Denmark and Ireland, and probably in the Balearics, the current management, whatever it might be has little credibility with the fishermen, and that they would seriously wish to explore newer, and probably more flexible approaches.

Individual fishers have very little knowledge about LO and even less about its impact on their activity. This lack of knowledge makes difficult for the formulation of any mitigation or adaptation strategies except those proposed by their organisations such as "more selective gear". For example, the notion of choke species is not understood yet by French fishers. Only POs and Fisheries Committees tend to speak about it. Nobody contested the current quota system based on historical rights.





8 No support for the following proposed methods to avoid unwanted catch – Technical

Ireland	Sector				
Gear-technology often provides little help in a mixed	Prawn/whitefish trawler				
fisheries as can't avoid everything.					
Grids are difficult to use and not very effective.	Nephrops trawlers				
Denmark	Sector				
No specific comments.	All				
Spain-the Balearics	Sector				
Bottom trawl fishers did not use gear modifications to	Bottom Trawlers				
avoid catching small-sized individuals because this is a					
highly multispecific fishery and the main problem is					
reduced to hake. For fishers, increasing the mesh size to					
reduce hake recruits would entail reducing the catches					
of small-sized species with important commercial value.					
Currently, with the implementation of the 40 mm square					
mesh cod-end this problem has been reduced because it					
reduces considerably the capture of individuals under					
the MLS.					
Greece-North Aegean Sea	Sector				
Scientists were working to improve trawl selectivity but	Shrimp fishery (trawlers)				
fishers made their own nets before the results of the					
scientific project.					
They imported nets from Spain but they were not so	Bottom trawlers				
good for the area, each area has its own characteristics					
so we prefer to make our nets. And is also cheaper.					
France-Eastern Channel	Sector				
Fishers consider that they cannot do more efforts to	Bottom Trawlers				
improve trawl selectivity.	2				
Portugal-Azores	Sector				
There is no support for a reduction of the total number	Bottom deep-water				
of hooks for longliners because it would result in a	longliners				
decrease of the commercial catch, and because they					
consider that the only efficient measure to reduce the					
amount of small fish in the catch is the hook size.					
Fishers were not interested in using circular hooks or	Bottom deep-water				
shark repellents to avoid the catch of deep-water sharks.	longliners				
They do not see the point as, for most of them, the catch					
of deep-water sharks is only occasional and most sharks					
are released alive.					





8.2 Commonalities

Enthusiasm for further gear based technical approaches seemed to be rather muted. Most fishermen do not think that new gear modifications are really the answer, and where they have tried them have generally found them less that effective. This seemed to be based on a combination of difficulty in deployment and use, and the perception that more selective gears led to reduced catches and profits.





9 No support for the following proposed methods to avoid unwanted catch – Tactical

Ireland	Sector						
Information sharing won't work outside of immediate	Whitefish trawlers and						
friends/colleagues as there is no belief that people will	seiners						
be honest or willing to share information as there is no							
real incentive to do so. Also not really needed as they							
consider themselves to have lots of personal knowledge							
on where things are, and where best to fish.							
Real-time closures won't work as there is a lack of	Whitefish trawlers and						
decent real-time information to allow these areas to be	seiners						
effectively designed or implemented and fluctuations in							
fish populations are too short-term and sporadic for							
them to work.							
Seasonal closures would likely restrict access to target	Whitefish trawler						
species too much – but some support from other vessels for the Celtic Sea box closure. Cape ground (near							
Greencastle) closure for cod has had less evidence of							
benefit.							
Pooled co-op or community based quota management	Whitefish and prawn						
wouldn't be effective as not enough quota available to	trawlers						
share out.							
Denmark	Sector						
No interview responses.	All						
Spain-the Balearics	Sector						
Traditionally, bottom trawlers only used northern-	Bottom Trawlers						
western Mallorca fishing grounds (Sóller) to take the red							
shrimp (Aristeus antennatus) during the summer and							
moved to southern grounds (Cabrera) during the winter							
months. This displacement was related to the individual							
size of the shrimp since fishermen avoided catching							
small-sized individuals. Nowadays, however, this							
migration pattern has been relaxed and both areas are							
exploited all the year round.							
Greece-North Aegean Sea	Sector						
Against new permanent closures of fishing areas,	Trawlers						
preferences for real time closures because presence of							
undersized fish is seasonal.							
France-Eastern Channel	Sector						
Fishers said "we avoid already areas with small fish or	Trawlers						
nwanted species" and that they would inform friends r family members.							
	Trawlers						
Already know areas having more juvenile species	TTAWIETS						





(estuary areas).						
Fisheries activity is based on the seasonality of big	Trawlers					
species						
Portugal-Azores Sector						
A reduction of the soak time is not supported by the	Bottom deep-water					
bottom deep-water longliners as it would result in a	longliners					
decrease in the catch amount, and as it is a lot of work to						
deploy and haul back the gear, it does not worth the						
effort.						
Fishers believe that real time closures would not be	Bottom deep-water					
efficient in the Azores as the fish populations are too	longliners and handliners					
short-term and variable "the whole EEZ would have to						
be closed".						
Most fishers consider that there is already enough closed	Bottom deep-water					
areas and they do not want more, as it would result in	longliners and handliners					
more fishing effort on the other already limited fishing						
grounds, and it would not be efficient to avoid the						
unwanted catch as the populations and ages are mixed						
and their distribution is highly variable.						
Information sharing only occasionally occur between	Bottom deep-water					
close friends and family members. But, in general there longliners and handl						
is little trust among fishers and they are not willing to						
share information even on where the small fishes are,						
because that would result in increased competition on						
the good fishing grounds.						

There were few commonalities under this heading. Probably the most apparent was the doubt expressed by both Irish, Greek and Azores fishermen about closures and particularly permanent closures. The most detailed responses came from the Irish fishermen, but this may be as they were asked this question specifically. What was interesting here, was that they expressed opposition to ideas that other fishermen in Ireland had supported or proposed in earlier sections e.g. information sharing and non permanent closures, like RTC. Information sharing was also seen as useful by some fishers in both the Eastern Channel, and the Azores, but again only at small, and local scale, "friends and family members" in the Channel, and lack of trust as an issue in the Azores.

This is discussed in more detail in the text sections below.





10 Other

Ireland	Sector
There is a real need to properly feed fisheries data into the assessment so that it truly reflects what is on the ground. There is recognition that in the past industry data may not reflect the true picture due to a lack of logging of discards but there is still an overall feeling that science is letting the industry down in terms of stock assessment!	All
One particular criticism is of the lag between the assessment/TAC setting cycle and the actual management on the ground. For instance, that the last landings used in assessment can be two years out of date. An approach e.g. sentinel fisheries in year could help.	All
Little understanding of what the Landing Obligation actually is, how it effects the fishery and how it will be enforced.	Whitefish trawler
Cannot see the LO being effectively policed and can envisage too many people exploiting the system	Prawn and whitefish trawlers
Quotas aren't effective as the market generally appears to be flooded with fish (from Irish as well as Spanish/French fleets), ultimately effecting prices and requiring fishermen to fish for longer to cover costs. An effective quota system should be reflected by decent market prices for catches.	Whitefish trawler
Denmark	Sector
There is a widespread opposition towards the Landing Obligation and the concept of a discard ban. Fishermen do not believe the landing obligation will benefit the marine environment. Some fishermen (mainly pelagic) argue that the landing obligation is just going to add a bureaucratic layer but that in practice there will be no change – meaning that the landing obligation is not harmful or beneficial. It is simply pointless. The majority of interviewed fishermen argue against the landing obligation by stating that discards act as a food source for other marine organisms and that the productivity will decrease if no discards occur.	All Pottom whitefish and
Interviewed fishermen mentioned quota uplifts, possibility to store bycatch as ensilage and to some extent free gear selection as options which they saw as benefits that would make it acceptable to take on REM	Bottom whitefish and Nephrops trawlers





with CCTV as a means to verify compliance with the Landing Obligation. However, the majority of interviewed fishermen were against the use of REM with CCTV, especially among fishermen who had no experience with the use of REM with CCTV. Among this group, some fishermen were quite passionate in their responses against the use of REM with CCTV. Quoting one response to the question "If video surveillance gave an increase in quota, how large would such an increase have to be for you to take cameras on board? ": "The question is not relevant. A quota increase cannot be great enough for me to be willing to sell my soul". "Better" biological advice and "better" adaption of regulations to the actual situation meeting the fishermen in their daily work. One interviewed fisherman operating mainly in Kattegat and targeting Nephrops stated that: "I would prefer that we are 5 happy fishermen in Kattegat rather than 35 unsatisfied fishermen because of bad regulations and how things are". This statement was backed by another fisherman targeting Nephrops in Kattegat.	Bottom whitefish and Nephrops trawlers				
	Costor				
Spain-the Balearics	Sector				
No additional suggestions	All				
In general, fishermen consider that the LO cannot be					
implemented to the Mediterranean fisheries	All				
Stakeholders trust on exemptions to implement the LO					
in the Mediterranean.	All				
Greece-North Aegean Sea	Sector				
All fishers consider that LO cannot be applied to the					
Hellenic Sea and to their fishing	All				
All wait the approval of the exemptions asked by the national fisheries authorities	All				
	2 fishers				
Some are ready to declare in their logbook discards France-Eastern Channel	Sector				
France-Eastern Channel For French fishers' LO shows that decision makers	Trawlers				
respond to the claims of particular groups, for example environmental NGO's and the aquaculture sector. Fishers' needs and interests, they maintain, were not taken into consideration by decision makers.	11 awiers				
For fishers this decision illustrates the ignorance of decision makers about all the efforts they have expended on resources management over recent years. "We are responsible people and our decisions to obtain a better management of the resources demonstrate that, but it seems that nobody sees what we do".	Trawlers and gillnets				
Portugal-Azores	Sector				
Limited knowledge about the LO and its potential	Bottom deep-water				
impacts on their activity. For most fishers, the interview longliners and har					





was the first time they heard about the LO, likely due to the fact that the LO would only be implemented in 2019 in the Azores.	
There is a strong disagreement with the LO. Most fishers do not see the point of the regulation, and believe it would be damaging for both the stocks and the fishers. They believe no one would comply, and they cannot see it properly enforced.	Bottom deep-water longliners and handliners
Criticism that scientists should perform good stock assessments for everyone to know exactly what is in the water.	Bottom deep-water longliners and handliners
Little understanding on how the quota system work, and why, no matter what they do, the management response is always a decrease in the quota: for blackspot seabream for example if they do not manage to reach the quota, the EU concludes that the abundance is too low, and the quota is reduced, while for alfonsinos it is the opposite: the quota is reached each year earlier, the EU concludes there is too much fishing, and the quota is also reduced.	Bottom deep-water longliners and handliners

10.2 Commonalities

We might not have expected commonalities in unsolicited ideas, but the most obvious common theme was steadfast opposition to the LO. There were also strong feelings that it would not deliver its objectives, particularly in actually reducing discards or ecosystem benefits. It was also clear that many fishermen had limited understanding of the workings, purpose and implementation of the LO.

There was also considerable antipathy expressed towards scientific advice, particularly from Irish, Danish and Azores fishermen. They clearly feel that the information fed into the assessment and hence advice does not represent the situation that they see on the fishing grounds. Several identified this as likely due to the lag in the data (surveys, landings, etc) being plugged into the assessments and then the final TACs and quotas being set.

This lack of credibility in the system to deliver its stated objectives and, what are probably seen as inappropriate management measures, e.g. restrictive quotas and the landing obligation are clearly undermining any support for the process by most of the fishermen interviewed.





11 Specific Issues

11.1 Information sharing

Information sharing between fishermen was a principle area of disagreement. Several fishermen thought that sharing information on areas where they had identified hot spots of under MCRS fish or choke species would be useful. However others thought that they would only support this within small groups where trust would be high. Discussions with one fishermen suggested that an approach would be to start such an approach with a small and coherent group of fishermen. This could be mediated through the co-op or PO systems. It could start with <MCRS hot spots, and then explore other options. The view was expressed that if this worked, it could naturally expand to others. The Marine Institute (Ireland) plans to work with one co-op to explore this option.

11.2 Trust

Many of the measures that encountered resistance in the interviews have also been suggested to us in other fora by other fishermen, e.g. RTC, spawning or nursery closures (e.g. seasonal), and also information sharing. Closures in particular represent constraints on their fishing opportunities, so they may be unable to fish at times and places they would like to. It is possible that they do not trust the authorities to manage these in even-handed and sensitive way. In particular that the closures would go on longer or cover wider areas than initially envisaged. However, some seasonal closures have been proposed by industry, such as the Celtic Sea cod box. Ideas like information sharing are seen as requiring trust in other fishermen, where local and detailed knowledge is seen as commercially important, and trusting competitors is difficult.





Appendix 1: Questions for semi structured Interviews with Skippers

General Attitudes on Discards and the Landings Obligation (LO):

- Is there a need for a discard ban? If not: is there a better way to address unwanted bycatch?
- What do you think the purpose of the EUs Landing Obligation (LO) is?
- What are your general views on the EUs LO?
- What factors cause you to discard fish? (Quota, market, quality etc)

Technical and tactical issues:

- What potential is there to reduce discards by gear changes?
- What potential is there to reduce discards by fishing in different areas than you usually would or by moving away from high discard areas?
- What potential is there to reduce discards by fishing at different times than you usually would?
- What kind of changes to gear or tactics have you already tried?
- What has been the effect of these changes?
- Is there any documentation of these changes or effects?

Economic and operational issues

- How has the unwanted catch been handled onboard? How did that work out?
- How have landings of unwanted catch been handled ashore? How did that work out?
- What will the impact of the LO be on your fishing activities?
- What do you think the impact on the crew will be?
- What do you think the economic impact of the LO will be?

Solutions/Ideas

How would the following management measures address the main problems that you face with the implementation of the LO:

Spatial measures





- Real time closures of areas where high discard concentration are reported?
- Seasonal closures of areas with high concentrations of juveniles or quota exhausted species?
- Establishment of fleet information sharing initiatives to avoid areas of high discarding (used with some success in Canadian fisheries)?
- How would such an initiative work?

Gear based measures

• A ban on certain fishing gears with high discard rates?

Quota based measures

- Multi-month quota management (mainly relevant to Irish case)?
- Pooled quota management? (could be PO, Co-Op or community based)
- Individualised ownership of quotas?
- Multi-species quotas (e.g. a mixed quota which would cover catches of Haddock, Whiting and Cod)?

Combination measures

• Preferential allocation of quota to those who can demonstrate low discard rates or who use gears demonstrated to have low discard rates?

Governance measures

- Limit the maximum quantity of discard (de minimis exemption)?
- Changes to how international quota swaps are organised and conducted (touching on Relative Stability without mentioning it)?
- Switch to an effort based management regime (could include RTI's here)?
- Establish regional (or local where appropriate) management committees for all fisheries charged with developing adaptive fisheries management plans with a specific emphasis on discard reduction? (Adaptive management in short means that the effectiveness of management strategies must be continuously monitored and adjusted where appropriate has a lot of crossover with results based management in that the burden of proof emphasis is shifted significantly and within reason the results are more important than the measures employed).

Other issues

- Are there any other measures which would help which have not been included in this list?
- What information would help you to address discarding issues? e.g. discard maps, information on discard reduction measures used elsewhere etc





Appendix2:Interviewswithstakeholders carried out for Task 4.1

The table below presents the lists of interviews carried out within WP4 and used for this Deliverable. This includes the project task, the DiscardLess partner in charge, the number of interviews and their function/institution. These data are taken from Appendix 1 of the DiscardLess 18 month report.

	When was/were the interview(s) conducted?	Type of interview and means of recording	List of interview questions / interview guide	Affiliation/type of the interviewed persons	Language	DiscardLess Beneficiary
WP4: T4.1	12, 14 and 15 September 2016	Semi- structured; interview notes, lasting 0.5-1 hour	Interview 2	Fishermen from Mallorca (Balearic Islands)	Catalan	3 (IEO)
WP4: T4.1	April 27 2016	Interview, notes (1.5 hours)	Interview 5	Irish Fisherman	English	14 (MI)
WP4: T4.1	May 20 2016	Interview, notes (1 hour)	Interview 5	Irish Fisherman	English	14 (MI)
WP4: T4.1	July 4 2016	Interview, audio recorded (2 hours)	Interview 5	Irish Fisherman	English	14 (MI)
WP4: T4.1	July 5 2016	Interview, audio recorded (1.5 hours)	Interview 5	Irish Fisherman	English	14 (MI)
WP4: T4.1	August 3 2016	Interview, audio recorded (1 hour)	Interview 5	Irish Fishermen	English	14 (MI)
WP4: T4.1	October 24 2016	Interview, audio recorded (1 hour)	Interview 5	Irish Fisherman	English	14 (MI)
WP4: T4.1	October 24 2016	Interview, audio recorded (1	Interview 5	Irish Fisherman	English	14 (MI)





		hour)				
WP4: T4.1	27-31 March 2015	Interview, notes	Interview 2	Various fishermen representatives	Greek	15 (NAYS)
WP2: T2.5 WP4: T4.1. & WP7: T7.4	17-21 September 2016	Semi- structured; interview notes, lasting 1 to 2 hours each	Interview 2	Fishermen representatives from trawlers & purse seiners (10 people) and coastal segment (2 people)	Greek	7 UBO
WP2: T2.5 WP4: T4.1. & WP7: T7.4	Nov-Dec 2016 (22 interviews)	Semi- structured; interview notes, lasting 1 to 2 hours each	Interview 2	fishers (mostly skippers and boat owners, 3 are also presidents of fishers associations); other representatives of fishers associations	Portuguese	7 UBO, 17 IMAR-UAz
WP4: T4.2	July 2015	Semi- structured; interview notes, lasting 1.5 hours	Interview 5	Irish Fisherman	English	27, MNRG
WP4: T4.2	July 2015	Semi- structured; interview notes, lasting 2.5 hours	Interview 5	Irish Fisherman	English	27, MNRG
WP4: T4.2	November 2015	Semi- structured; interview notes, lasting 2 hours	Interview 5	Irish Fisherman	English	27, MNRG